

Joint SuperSonic Cruise Missile (JSSCM) ACTD Breakfast Club Brief



Capt James Hart N780C/D
Capt Carl Reiber PMA 258
S. Lyda NAVAIR 47HG00D
Lydasf@navair.navy.mil
760-939-7395





Agenda (U)



- **Mission Need**

- N88 Vision Initiated 1998

- ACTD Mission

MPEG of N88 High Speed
Strike Vision

- **JSSCM Technology**

- **Proposed JSSCM ACTD**

- **Growth Missions**

- **Summary**

ACTD Mission Need USFK HARTS/ CBW Sites

CINC CFC Pacific: “NK 240mm MRL posed a significant Psychological and political Threat to South Korea and the CFC”.





Notional

Special Weapons Facilities - 50

Air Bases - 67

C&C - 30



Provided by Federation of American Scientists website

Documents:

- MNS 01C011-CS00164-SX-00 Hard and Deeply buried Targets Defeat Capability
- CINCPAC FY 01 Integrated Priority List (IPL) Preferred/Precision Munitions, Counterfire
- CINCUSNAVEUR FY01 IPL Precision Strike Munitions, All Weather, High Precision, Stationary & Moving Targets




JSSCM Effectiveness



#1 Standoff Weapon Concept for OSD Hard and Deeply Buried Targets (HDBTDC) AoA

ref: HDBTDC AOA Report and Appendices 30 Sept 2000 01A756-SB00229-SX-00

- **Most Lethal Standoff Weapon**
- **Most Effective and Affordable in Small Scale Contingencies (SSC)**
- **Wpn of Choice when Attrition could not be managed or Time Urgent**



SSC	SUCCESS/COST AVERAGE	
CONCEPT	SUCCESS	COST AVERAGE \$K
GSSCM	89%	\$ 44,392.80
CLPCM	81%	\$ 49,125.78
VAM	70%	\$ 108,636.86
G5K	70%	\$ 107,973.53
G10K	70%	\$ 99,437.54
G2K	59%	\$ 98,711.80
CAV	58%	\$ 28,920.67
BIG BLU	56%	\$ 99,737.90
LEGACY SET	50%	\$ 95,276.62
GN/ATACMS	11%	\$ 6,280.00

JSSCM ACTD

Warfighting Capabilities




- **MOE#1** - Weapon System effective against Urgent Time Critical N Korea Hard Targets (HARTs, WMD, Missiles sites)
- **MOE#2** – Provides sufficient Range from Sea of Japan or Yellow sea:
 - MOP#1: Threshold >300 nmi, Goal > 400nmi
- **MOE#3** - Minimizes response time.
 - MOP#2: Threshold < 8min, Goal: 6 minute response time to 300 nm
- **MOE#4** - Accurate delivery of payload to optimize W/H Lethality
 - MOP#3: CEP 2.7 Meters unjammed: < 3.4 meters jammed
 - MOP#4: Orientation appropriate with target
- **MOE#5** - Integrated with TLN Fire Control System
- **MOE#6** - VLS launched (initially)
- **MOE#7** - Complies with Start, SALT Treaties
 - Cruise Missile, VLS or Air Launched

JSSCM System Overview

Legacy


- **CROW (Creative Ramjet Ordnance Weapon)**
 - Nose Inlet Ramjet with 6 flights in 1962 - 64
 - Small Scale: 8x127 in, 327 lbs
 - Mach 3 @ 50,000 ft > 97 nmi
- **RARE surfaced launched in 1970's**
- **PIP funded by ONR & others during 1983 - 1995**
 - Efficient Inlet
 - Short Length to Diameter (L/D) Propulsion
 - COTS Turbopump
 - Universal Autopilot W/ global data link for DGPS, BDA, TM, Real time target updates



Characteristics


	<u>ACTD</u>	<u>Growth</u>
Cruise Missile		
Velocity	Mach 4.	Mach 6+
Payload	HDBT	Tomahawk WDU-36/Submunitions
Range nmi	300 -400	1200 - 1500
Launcher	VLS	Sub/F15,F18,B52,B2
Diameter (in) 21.2 dia		
Length (in)	233.4	256
Weight (lbs -Air)	2280	
Weight (lbs Surface)	3400	
Cost \$K	<400	(unit buy 5000 per Naval Center for Cost Analysis, Validated by USAF CAG)

- **Multi-Service**
- **Multi-Mission**
- **Low Cost**



MPEG of Technology Accomplishments

System Components & TRL




**Nose Inlet Ramjet Airframe
(CROW)**

Standard Missile MK72 Booster



JASSM or M4 High energy Penetrator



**System Integration TRL=5-6
 Average TRL = 7.5**


**TLN = TTWCS +
 LAM FC + NFCS
 Phase I+**

TRL=NASA Test Readiness Level

JSSCM Operational Concept



Objective: Close HARTS Tunnels ASAP after start of conflict






ACTD Participants



- **Lead Service - USN**
- **User Sponsor-**
 - CINCPAC - Mike Reilley
 - Technical Manager S. Lyda
NAVAIR
- **Operational Manager**
 - USFK / LCol. Liberatore
 - 3RD Fleet – ADM Bucchi / Tim Wise
- **Transition PEO**
 - PEO (W) - RADM Chenevey
- **Team Members**
 - NAWCWD - TDA
 - NSWC-PH - VLS Launcher, FCS
 - NSWC-DD – TLN
 - Wright Patterson AFB – Propulsion Flow Path
 - UK-MOD - Ramjet
 - Orbital Science Corp - Flight Vehicle Systems
 - Lockheed Martin - Systems Integrator
 - Chemtronics - Airframe
 - M-Dot - FMS
 - DTRA - Targets, Lethality ??
 - Parallel Efforts
 - AFRL - Eglin UL/MOD - Penetrating Payload
 - UK/MOD PMA 258 Air Launched IRRJ

JSSCM ACTD Schedule

- **FY02 ACTD with two phases in 3 years w 4th year LRIP**
 - **Phase 1: Vehicle Integration & demonstration, Payload Sizing, DT w/ Launcher**
 - **Vehicle Testing @ White Sands Missile Range**
 - **Flight Tests w/High Velocity D-GPS / CERPA Guidance, Low CEP capability**
 - **Phase 2: Operational Assessment**
 - **Weapon Lethality against Hard Targets @ White Sands**
 - **Integrate with TLN**
 - **MUA Demonstration from Aegis**
 - **LRIP & Deploy residual assets on Aegis ships**






JSSCM



Military Utility Assessment





JSSCM

ACTD Cost / Funding/Contracting



Cost Item	Cost \$M		
	Baseline VLS	Growth Cost	Issue
• JSSCM DT&E	17	- 2	Multiple agencies
• JASSM Warhead Acq&Int	3	0	
• Mk-72 Boosters	11	-4	MK72 Avail.
• Platform Integration	20	-6	TLN Integration
• AUR Tests (7)	15	0	
• Training/ MUA/ ILS/Spares	7	-3	
• AUR Residuals	<u>10 (10)</u>	<u>0</u>	
Total	\$79M		

Contracting Approach: Full and open competitive announcement under the authority of 10 USC 2519 "Federal Defense Laboratory Diversification Program to pursue the national security objectives of 10 USC 2501. COMMERCE BUSINESS DAILY 25 JANUARY 2000. SOL N68936-00-R-0034

FUNDING (\$M)	00	01	02	03	04	05	06
Discretionary	.5	1					
SFRJ Plus+	3.5	4.5					
UK/MOD			1.25	2.5	?	?	
TBD			10	16.25	13.75	5.	
N7/PMA 258 POM					5	5	
OSD			3.75	6.25	6.25	3.5	
Totals	4.0	5.5	15	25	25	14	.



JSSCM ACTD Team



COMMANDER IN CHIEF, U.S. PACIFIC COMMAND (USCINCPAC)
CAMP H.M. SMITH, HAWAII 968614028

JOGS
3882
24 Jan 01

To: Office of the Under Secretary of Defense 3000 Defense Pentagon,
Washington, DC 20301

Subj: USCINCPAC ACTD PROPOSAL SUBMISSION FOR FY 02

Ref (a) Deputy Under Secretary of Defense (Advanced Systems & Concepts)
letter,
Subject: Fiscal Year 2002 Advanced Concept Technology Demonstration
(ACTD) Proposals

End: (1) Joint Supersonic Cruise Missile ACTD Proposal
(2) Joint Supersonic Cruise Missile ACTD Quad Chart
(3) Time Critical Counter Targeting ACTD Proposal
(4) Time Critical Counter Targeting ACTD Quad Chart
(5) Overwatch ACTD Proposal
(6) Overwatch ACTO Quad Chart

1. In response to Ref (a) request for submission of FY 02 Advanced Concept Technology Demonstration (ACTD) proposals I am pleased to forward three candidates for consideration. These proposals have been developed with the Army Space and Missile Defense Command and the Naval Air Warfare Center, Weapons Division with substantial input from the USPACOM staff and components. USCINCPAC is prepared to sponsor these candidates should they survive the selection process.
2. We believe that these proposals represent cutting edge technologies in their respective areas and provide significant technological and operational improvements for Precision Strike and Full Dimension Protection.
 - The Joint Supersonic Cruise Missile ACTD candidate provides a M4+ capability to deliver penetrator and brilliant munitions from ships and aircraft against fixed and mobile targets.
 - The Time Critical Counter Targeting ACTD candidate provides precision counter targeting information to strike aircraft and artillery to engage surface-to-air missile launchers, transporter-erector-launchers, artillery



DEPARTMENT OF THE AIR FORCE
AIR FORCE RESEARCH LABORATORY
WRIGHT-PATTERSON AIR FORCE BASE OHIO 45423

6 April 2001

MEMORANDUM FOR STEPHEN F. LYDA
NAVAL AIR WARFARE CENTER
WEAPONS DIVISION
CODE 4.7.H.G.OODD
CHINA LAKE, CA 93555-6001

FROM: AFRL/PRA

SUBJECT: Participation in the Proposed Joint Supersonic Cruise Missile ACTD

1. As a result of our discussion on 5 April 2001, the Aerospace Propulsion Office of the AFRL Propulsion Directorate is very interested in participating in the proposed Joint Supersonic Cruise Missile (355CM) Advanced Concept Technology Demonstration (ACTD). We believe that there are several areas where our expertise and knowledge can help bring the proposed effort to fruition:
 - a. Airframe and propulsion trade studies and concept assessment.
 - b. Ramjet flowpath analysis, including 3D unsteady computational fluid dynamics.
 - c. Experimental analysis, including direct-connect high-Mach combustor tests.
2. For the foreseeable future, we are committed to developing scramjet propulsion technologies. In order to participate in the ACTD, we will require additional funding to enable us to focus the relevant personnel on the JSSCM project. We will work with you to determine an appropriate balance of effort versus available funding and will need to formalize our intent via a Memorandum of Understanding.
3. Please continue to work with Glenn Liston (DSN 785-2175) on this matter.

PARKER L. BUCKLEY, Chief
Aerospace Propulsion Office



JSSCM Transition Ltrs



From: Program Executive Officer, Cruise Missiles and Joint Unmanned Aerial Vehicles (PMA-258)

To: Chief of Naval Operations (N8)

Subj: OSD SUPPORT OF GENERIC SUPERSONIC CRUISE MISSILE (GSSCM) DEMONSTRATION PROGRAM

1. PMA 258 strongly supports the concepts and technical capabilities purported by Generic Supersonic Cruise Missile (GSSCM). The GSSCM program would enter the production phase immediately subsequent to the end of the presently proposed production schedule of the SLAM ER, ATACMS, and JASSM.

Steve,

Following the review meeting with our DEC(DS), MOD Customer yesterday it has been agreed that the UK will support the programme. The UK contribution would be broken down into stages, at which breakpoints/reviews would be used to commit the UK to the next stage. As you well know getting large funds released is going to take some more time and this staged approach will ensure that the UK can be on board from the start.

This agreement was only reached on the basis that the UK has a full involvement in the programme. This means that we have involvement at the "total systems level" and not just the IRR technology level. It is important that we make this clear as this is the only basis on which the UK MOD will continue to support the programme.

... the UK may be interested in taking the ACTD into an integration (E&MD) phase.
Best Regards, Peter Doidge MOD Advance Concepts
(received 12/21/2000)

JSSCM ACTD Parallel Efforts

1) Light Weight -Low Cost Booster




Partners: Standard Missile, IMAD Office

2) M4 Thermo baric Penetrating Warhead



Partners: AFRL-Eglin, UK/ MOD, OSD

3) Integral Rocket Ramjet



Partners: UK/ MOD, PMA 258

- Decreased AUPC
- Increased Range
- Improved Lethality
- Additional Launch Platforms




JSSCM Future Missions: Need Summary




1) HOW MANY ARE NEEDED SWA/NEA ? = **6,841**


MRC/MTW-East, 2010 25,836 targets




2) What are the distance these targets are located ? = **1000 mi for 95%**



3) What is the speed needed to prosecute? = **M4+**






4) Are Submunitions Beneficial? **Yes**



JSSCM

Mission Growth Areas



Conclusions




- **JSSCM ACTD Provides IMMEDIATE DEFEAT of Time Urgent Hard Targets in N. Korea (and World Wide) which can not be held at risk by other weapons**
 - Based upon Technology which can be fielded with Test Readiness Level = 7.5
 - Is supported by PACOM, CENTCOM, USJFCOM, EUCOM, USAFE
 - Has Coalition partner interest (UK/ROK)
 - Is Joint Service with WPAFB and Eglin AFB (AMCOM pending)
 - Transitions to PEO(W) / USFK/ UK
 - Has N7 direction to proceed
 - Has potential funding @ OSD, N7 & Congressional Interest
 - Transition to Milestone B/II affordability improvements, additional missions, & platforms for next generation weapon family

- **JSSCM Provides a “Leap Ahead” Cruise Missile Weapon**
 - Unique in the combination of Range, Speed, Payloads, Infrastructure, & Cost
 - Increased “Non-Nuclear” Lethality against
 - » World Wide Hard Targets & Time Critical & Mobile Targets
 - In conjunction with Rapid Decisive Operations can deny, degrade, or destroy strategic and operational centers of gravity without having to conduct extensive buildup of forces in the theater of operations.



JSSCM NK Effectiveness

When used in a RDO environment, JSSCM can deny, degrade, or destroy NK strategic and operational centers of gravity within 15 min.



Joint SuperSonic Cruise Missile (JSSCM) ACTD





End of Presentation




JSSCM Flight Vehicle Subsystems



Inlet CFD Model



COTS Subsystems





UNCLASSIFIED

CEP/ Jamming

JSSCM has low CEP & is GPS Jamming Immune



- **URAP Guidance System**
 - Navigation Module – 80 way points
 - Control Module – pre-programmed maneuvers
 - Telemetry Module ->128 data streams
 - 67 units procured @ \$37K/unit
 - 34 flight tests -4 at supersonic speeds MA 31
- **CERPA Antenna by Ball Aerospace**
 - Conformal Array
 - Body Shielding
 - Altitude Attenuation
 - Missile Speed flies through en-route jamming
- **Trajectory Shaping eliminates vertical uncertainty errors**
- **Accurate**
 - 2.7m CEP, 3.4m Jammed per HDBTDC AOA FY 2000
- **USAF/ Orbital flights ~ 1 M accuracy**



JSSCM has a low AUP cost

- 1) No Terminal Guidance (DSMAC, TERCOM)
- 2) Propulsion cost reduction for turbine (80K) vs ramjet (17K)
- 3) COTS: Automotive turbopumps ~ \$7k
Chemtronics Airframe ~ \$40K
- 4) Existing subsystems: URAP guidance @37K ea,
Mk-72, payload
- 5) Cruise speed complies with existing materials
 - Cost Analysis for GSSCM provided by Naval Center for Cost Analysis (NCCA)
 - Costs Validated by Air Force CAG HDBTDC AoA

units	GSSCM	JASSM	TacTom
	5000	5000	5000
Fly Away	\$394K	\$400K	\$529



Objectives:

- Demonstrate a Mach 4+, penetrating payload w/ 300 lbs eq. Thermo baric fill
- Build upon ongoing AFRL/DTRA penetrating efforts
- Team with DTRA , AFRL, UK/MOD
- Utilize as alternative payload if successful for JSSCM LRIP
- ROM Delta Cost \$9.8M w/10 residuals
- POC Dr. Mike Cramer – Eglin, M Swett NAWCWD

Technology Drivers


- Case Survivability @ impacts of 3000 to 4000 fps (Risk Med)
 - 250 & 660 lb penetrator Warheads tested by OSC under contract to AFRL with Sandia, LANL, and others at velocities up to Mach 4.
- Fuze survivability & operability (Med Risk)
 - The Hard Target Smart Fuze is under development by the Air Force is prime subsystem
 - Multi event fuze an Hard Target fuze are alternatives
- Energetic Fill Insensitivity (High Risk)
- Thermo Baric energy coupling for lethality (Med Risk)

AFRL – Orbital Sciences (OSC) Demonstrated 2000



Recovery Operation

M4 Thermo baric Penetrating Warhead



Impact Conditions	Guidance	Flight Angle	Angle of Attack	Impact Velocity	Penetration Depth
MTD-1	3.2m	-89.9deg	<0.2 deg	3,300 fps	31 ft
MTD-3	1.0m	-90.0deg	0.1 deg	4,063 fps	45 ft



JSSCM ACTD Status Summary



- **ACTD 1st on PACOM FY02 ACTD list – Supported by CENTCOM**
- **ACTD Selected by ONR (7/32) Mr. Ben Riley**
- **PEO(W) Transition Organization**
 - **PMA258/282 – SLAM Office POM Wedge in FY04, Poised to initiate ACTD**
- **UK/MOD has agreed to join ACTD effort. Initial funds 2.1M lbs**
- **Government industry Team forming**
 - **Lockheed Martin-Prime, Orbital, Chemtronics, NAWCWD, NSWD, WPAFB**
 - **USAF (stated they will join for KE warhead, interest in Air Launched version) 5/5/01**
 - **MICOM (Interested in future generation of supersonic missiles)**
- **Socializing ACTD**
 - **ADUS-AT Dr Daly – various meetings**
 - **N7 ADM McGinn – 1/10/01 directed that ACTD proceed**
 - **Briefing to DSN (TSC) ADM Altweg (ret) 1/12/01 & 4/24/01 - endorsed ACTD**
 - **Briefing provided to Tomahawk Leadership Team N764**
 - » **Capt Hoffman assigned Capt Wise, Cdr Heiss as AO**
 - **Briefed Counterproliferation and FTO 2/26/01**
 - **N76 ADM Kelly –2/26/01 Support contingent upon LASM penetrator comparison**
 - **DDUSD-Strategic & Tactical Systems (Air Warfare) Dr Mutzelburg endorsing ACTD**
 - » **Jointly w/ Dr Ullrich OSD(S&T)/WS submitted \$90M FY02 proposal for JSSCM**
 - **DTRA Dr Vayl Oxford & Dr Chuck McKinnon 3/1/01 Interested but not committed to date**
 - **Briefed SubTech N77 4/24/01 Initiating High Speed Weapon program for boomers**
 - **Briefed RADM Balisle 5/3/01 – Endorsed concept w/ concerns on transition planning**



JSSCM ACTD Technical Risks



- **Mk 72 Booster – Off the Shelf**
 - Booster takeover margins - Low Risk
 - Total impulse from MK-72 booster is of concern for cold conditions
 - Alternative to open inlet for lower takeover speed & cruise velocity or Lower payload weight
- **Ramjet Propulsion – Ramjets flying, specific design tested – Low Risk**
- **Airframe Design - Low Risk**
 - Weight growth is driver for ACTD performance
 - » ACTD range is 300 / 400nmi allows for weight growth
 - Design Trades being conducted by NAWCWD, Lockheed, & Chemtronics in FY01
 - » DCT estimate of \$40K/unit
 - Based upon missiles with similar design: Soviet Yakhont , CROW and RARE (seen in MPEG)
- **Avionics – Based on existing URAP design - Low Risk**
- **Actuator - Low Risk**
 - Based upon existing designs
 - 1st order heat analysis indicates satisfactory cooling & performance margins
- **Payload – Risk dependent upon OSD approach**
 - M4 Penetrator – based on on-going NTACMP, AF efforts –Moderate risk
 - JASSM / SLAM – Low risk
- **Integration - Moderate Risk**